



Understanding the Connections: Food Insecurity and Obesity



October 2015

While all segments of the U.S. population are affected by obesity, food insecure and low-income people can be especially vulnerable due to the additional risk factors associated with inadequate resources and under-resourced communities. This brief first will highlight research on food insecurity and obesity, and then explore why food insecurity and obesity can co-exist.

What Does the Research Say About Food Insecurity and Obesity?

The extent of research on food insecurity and obesity has grown considerably since 1995, when a leading pediatrician published a medical case report that proposed a relationship between hunger and obesity.¹ At first, the relationship between food insecurity and obesity was considered counterintuitive and labeled a paradox. This was due, in part, to our limited understanding of the causes and consequences of food insecurity. But now, with a more extensive research base and comprehensive conceptual framework, researchers conclude that the “coexistence of food insecurity and obesity is expected given that both are consequences of economic and social disadvantage.”²

While food insecurity and obesity can co-exist in the same individual, family, or community, the research on whether there is a statistically significant relationship provides mixed results.^{3-4,5,6} A number of research studies in the U.S. and abroad have found positive associations between food insecurity and overweight or obesity. Other studies have found no relationship, or even a lower risk of overweight or obesity with food insecurity. Associations, or lack thereof, often differ by gender, age, and/or race-ethnicity. Making comparisons across studies is further complicated by differences in study design, measures of weight and food security status, and sample size and characteristics. Overall, based on several reviews of the literature, the strongest and most consistent evidence is for a higher risk of obesity among food insecure women.

Understanding the Connections: Food Insecurity and Obesity

A selection of recent U.S. studies is provided below that demonstrate the mixed findings on the relationship between food insecurity and obesity. The majority of these studies control for socioeconomic factors (e.g., income, education) as well as demographic characteristics (e.g., age, gender, race-ethnicity).

Research Examining Food Insecurity and Obesity among Adults

- A study of more than 7,930 U.S. adults found that household food insecurity was associated with being overweight or obese among mothers, but not among fathers, child-free women, or child-free men.⁷ (Researchers determined that this pattern among mothers was not attributable to pregnancy-related metabolic changes.)
- In a 12-state study of 66,553 adults, those who were food insecure had 32 percent greater odds of being obese compared with those who were food secure.⁸ Obesity was significantly associated with food insecurity among the following five population sub-groups: women (but not men); those with some college education or who graduated from college; and those with no children or two children in the household.
- Food insecurity was associated with increased body mass index (BMI) among young women, but not young men, in a national study of more than 13,700 young adults 24 to 32 years of age.⁹
- Food insecurity was associated with a greater increase in BMI in a longitudinal study of more than 2,400 patients at a Massachusetts community health center.¹⁰
- Female baby boomers and older adults who were food insecure were 1.4 times more likely to have a higher BMI than those females who were food secure, based on a study set in an eight-county region of central Texas with 2,985 participants.¹¹ No association between food insecurity and BMI was observed among male participants.
- In a study of 810 pregnant women in North Carolina with incomes less than or equal to 400 percent of the income/poverty ratio, living in a food insecure household was associated with being severely obese before pregnancy and with experiencing greater weight gain during pregnancy.¹² Additional studies have found links between food insecurity during pregnancy and greater postpartum weight and BMI, particularly among women who were obese before or during pregnancy.^{13,14}

Research Examining Food Insecurity and Obesity among Children and Adolescents

The following results for children and adolescents are less consistent than the studies for adults described above, which typically found a consistent relationship between obesity and food insecurity among adult women, but not men.

- Across five measures of obesity (i.e., BMI, waist circumference, triceps skinfold, trunk fat mass, and percentage of body fat), one study found no association between household food insecurity status and obesity among a national sample of 2,516 low-income children 8 to 17 years of age.¹⁵
- Young people 12 to 18 years of age from marginally food secure, low food secure, and very low food secure households were 1.4 to 1.5 times more likely to have central obesity than those from high food secure households, based on national survey data from 7,435 participants.¹⁶ Those from low food secure and marginally food secure households also were significantly more likely to be overweight than their counterparts from high food secure households.
- A three-city study (Boston, San Antonio, and Chicago) of 1,011 low-income adolescents found that maternal stress in combination with adolescent food insecurity significantly increased an adolescent's probability of being overweight or obese.¹⁷
- According to a longitudinal study of more than 28,000 low-income children in the Massachusetts WIC program, persistent household food insecurity without hunger during infancy and early childhood was associated with 22 percent greater odds of child obesity at two to five years of age, in comparison to children from persistently food secure households.¹⁸ These odds varied with the mother's pre-pregnancy weight status: children from households with persistent food insecurity without hunger were three times more likely to be obese if the mother was underweight and 34 percent more likely to be obese if the mother was overweight or obese, when compared to children from persistently food secure households; no association was found if the mother had a normal pre-pregnancy weight status.
- A smaller study of 222 young, predominantly Hispanic children whose caregivers were receiving WIC services found no association between overweight or obesity and household food security status.¹⁹

Why Can Food Insecurity and Obesity Co-Exist?

That food insecurity and obesity can co-exist and are significantly associated in some studies does not necessarily mean they are causally linked to each other. Both food insecurity and obesity can be independent consequences of low income and the resulting lack of access to enough nutritious food or stresses of poverty. More specifically, obesity among food insecure people – as well as among low-income people – occurs in part because they are subject to the same often challenging cultural changes as other Americans (e.g., more sedentary lifestyles, increased portion sizes), and also because they face unique challenges in adopting and maintaining healthful behaviors, as described below.

Limited Resources and Lack of Access to Healthy, Affordable Foods

- Low-income neighborhoods frequently lack full-service grocery stores and farmers’ markets where residents can buy a variety of high-quality fruits, vegetables, whole grains, and low-fat dairy products.^{20,21,22} Instead, residents – especially those without reliable transportation – may be limited to shopping at small neighborhood convenience and corner stores, where fresh produce and low-fat items are limited, if available at all. Comprehensive literature reviews examining neighborhood disparities in food access find that neighborhood residents with better access to supermarkets and limited access to convenience stores tend to have healthier diets and reduced risk for obesity.^{23,24}
- According to USDA, “vehicle access is perhaps the most important determinant of whether or not a family can access affordable and nutritious food.”²⁵ Households with fewer resources (e.g., SNAP households, WIC households, food insecure households) are considerably less likely to have and use their own vehicle for their regular food shopping than those households with more resources.²⁶ Food choices and purchases may be constrained by limits on how much can be carried when walking or using public transit (e.g., buying fewer items in bulk or that are heavy), or if consumers are limited to one large shopping trip a month with a friend or family member to buy the majority of their monthly food purchases (e.g., buying fewer perishable items like fresh produce).^{27,28} Transportation costs also cut into the already limited resources of low-income households, and these costs plus travel time can be substantial.^{29,30}
- When available, healthy food may be more expensive in terms of the monetary cost as well as (for perishable items) the potential for waste, whereas refined grains, added sugars, and fats are generally inexpensive, palatable, and readily available in low-income communities.^{31,32,33,34} Households with limited resources to buy enough food often try to stretch their food budgets by purchasing cheap, energy-dense foods that are filling – that is, they try to maximize their calories per dollar in order to stave off hunger.^{35,36,37} While less expensive, energy-dense foods typically have lower nutritional quality and, because of overconsumption of calories, have been linked to obesity.^{38,39}
- When available, healthy food – especially fresh produce – is often of poorer quality in lower income neighborhoods, which diminishes the appeal of these items to buyers.^{40,41}
- Low-income communities have greater availability of fast food restaurants, especially near schools.^{42,43,44} These restaurants serve many energy-dense, nutrient-poor foods at relatively low prices. Fast food consumption is associated with a diet high in calories and low in nutrients, and frequent consumption may lead to weight gain.^{45,46,47}

Cycles of Food Deprivation and Overeating

- Those who are eating less or skipping meals to stretch food budgets may overeat when food does become available, resulting in chronic ups and downs in food intake that can contribute to weight gain.^{48,49,50} Cycles of food restriction or deprivation also can lead to disordered eating behaviors, an unhealthy preoccupation with food, and metabolic changes that promote fat storage – all the worse when combined with overeating.^{51,52,53} Unfortunately, overconsumption is even easier given the availability of cheap, energy-dense foods in low-income communities.^{54,55}

Food insecure and low-income people can be especially vulnerable to obesity because of the unique challenges they often face in adopting and maintaining healthful behaviors, including:

- Limited resources
- Lack of access to healthy, affordable foods
- Cycles of food deprivation and overeating
- High levels of stress, anxiety, and depression
- Fewer opportunities for physical activity
- Greater exposure to marketing of obesity-promoting products
- Limited access to health care

Understanding the Connections: Food Insecurity and Obesity

- The “feast or famine” situation is especially a problem for low-income parents, particularly mothers, who often restrict their food intake and sacrifice their own nutrition in order to protect their children from hunger.^{56,57} Such a coping mechanism puts them at risk for obesity – and research shows that parental obesity, especially maternal obesity, is in turn a strong predictor of childhood obesity.^{58,59,60}

High Levels of Stress, Anxiety, and Depression

- Members of low-income families, including children, may face high levels of stress and poor mental health (e.g., anxiety, depression) due to the financial and emotional pressures of food insecurity, low-wage work, lack of access to health care, inadequate transportation, poor housing, neighborhood violence, and other factors. For instance, a number of recent studies find associations between food insecurity and stress, depression, psychological distress, and other mental disorders.^{61,62,63,64}
- Research has linked stress and poor mental health to obesity in children and adults, including (for adults) stress from job-related demands and difficulty paying bills.^{65,66,67,68,69} In addition, a number of studies find associations between maternal stress or depression and child obesity.^{70,71} Emerging evidence also suggests that maternal stress in combination with food insecurity may negatively impact child weight status.⁷²
- Stress and poor mental health may lead to weight gain through stress-induced hormonal and metabolic changes as well as unhealthful eating behaviors and physical inactivity.^{73,74,75,76} There also is growing evidence that low-income mothers struggling with depression or food insecurity utilize obesogenic child feeding practices and unfavorable parenting practices that could influence child weight status.^{77,78,79,80}

Fewer Opportunities for Physical Activity

- Lower income neighborhoods have fewer physical activity resources than higher income neighborhoods, including fewer parks, green spaces, and recreational facilities, making it difficult to lead a physically active lifestyle.⁸¹ Research shows that limited access to such resources is a risk factor for obesity.^{82,83,84}
- There is emerging evidence that food insecurity is associated with less physical activity and greater perceived barriers to physical activity (e.g., too tired to be physically active).^{85,86} In addition, many studies find that low-income populations engage in less physical activity and are less physically fit than their higher income peers.^{87,88} This is not surprising, given that many environmental barriers to physical activity exist in low-income communities.
- When available, physical activity resources may not be attractive places to play or be physically active because low-income neighborhoods often have fewer natural features (e.g., trees), more visible signs of trash and disrepair, and more noise.^{89,90}
- Crime, traffic, and unsafe playground equipment are common barriers to physical activity in low-income communities.^{91,92} Because of these and other safety concerns, children and adults alike are more likely to stay indoors and engage in sedentary activities, such as watching television or playing video games. Not surprisingly, those living in unsafe neighborhoods are at greater risk for obesity.^{93,94,95}
- Low-income children are less likely to participate in organized sports.^{96,97} This is consistent with reports by low-income parents that expense and transportation problems are barriers to their children’s participation in physical activities.^{98,99}
- Students in low-income schools spend less time being active during physical education classes and are less likely to have recess, both of which are of particular concern given the already limited opportunities for physical activity in their communities.^{100,101,102}

Greater Exposure to Marketing of Obesity-Promoting Products

- Low-income youth and adults are exposed to disproportionately more marketing and advertising for obesity-promoting products that encourage the consumption of unhealthful foods and discourage physical activity (e.g., fast food, sugary beverages, television shows, video games).^{103,104} Such advertising has a particularly strong influence on the preferences, diets, and purchases of children, who are the targets of many marketing efforts.^{105,106}

Limited Access to Health Care

- While the enactment of the Affordable Care Act of 2010 improved health insurance coverage rates in the nation, many low-income people still are uninsured and lack access to basic health care, especially in states that have not taken the Medicaid option.¹⁰⁷ This results in lack of screening for food insecurity and referrals for food assistance, as well as lack of diagnosis and treatment of emerging chronic health problems like obesity.

For more information on food insecurity and obesity, go to: www.frac.org. This brief was prepared by FRAC Senior Nutrition Policy and Research Analyst Heather Hartline-Grafton, DrPH, RD.

References

- 1 Dietz, W. H. (1995). Does hunger cause obesity? *Pediatrics*, 95, 766–767.
- 2 Frongillo, E. A. & Bernal, J. (2014). Understanding the coexistence of food insecurity and obesity. *Current Pediatrics Reports*, 2(4), a284-290.
- 3 Larson, N. I. & Story, M. T. (2011). Food insecurity and weight status among U.S. children and families: a review of the literature. *American Journal of Preventive Medicine*, 40(2), 166-173.
- 4 Dinour, L. M., Bergen, D., & Yeh, M. C. (2007). The food insecurity-obesity paradox: a review of the literature and the role food stamps may play. *Journal of the American Dietetic Association*, 107(11), 1952-1961.
- 5 Franklin, B., Jones, A., Love, D., Puckett, S., Macklin, J., & White-Means, S. (2012). Exploring mediators of food insecurity and obesity: a review of recent literature. *Journal of Community Health*, 37(1), 253-264.
- 6 Eisenmann, J. C., Gundersen, C., Lohman, B. J., Garasky, S., & Stewart, S. D. (2011). Is food insecurity related to overweight and obesity in children and adolescents? A summary of studies, 1995-2009. *Obesity Reviews*, 12(5), e73-e83.
- 7 Martin, M. A. & Lippert A. M. (2012). Feeding her children, but risking her health: the intersection of gender, household food insecurity, and obesity. *Social Science Medicine*, 74(11), 1754–1764.
- 8 Pan, L., Sherry, B., Njai, R., & Blanck, H. M. (2012). Food insecurity is associated with obesity among US adults in 12 states. *Journal of the Academy of Nutrition and Dietetics*, 112(9), 1403-1409.
- 9 Gooding, H. C., Walls, C. E., & Richmond, T. K. (2012). Food insecurity and increased BMI in young adult women. *Obesity*, 20(9), 1896-1901.
- 10 Chen Cheung, H., Shen, A., Oo, S., Tilahun, H., Cohen, M. J., & Berkowitz, S. A. (2015). Food insecurity and body mass index: A longitudinal mixed methods study, Chelsea, Massachusetts, 2009-2013. *Preventing Chronic Disease*, 12, e125.
- 11 Ahn, S., Smith, M. L., Hendricks, M., & Ory, M. G. (2014). Associations of food insecurity with body mass index among baby boomers and older adults. *Food Security*, 6(3), 423-433.
- 12 Laraia, B. A., Siega-Riz, A. M., & Gundersen, C. (2010). Household food insecurity is associated with self-reported pregravid weight status, gestational weight gain, and pregnancy complications. *Journal of the American Dietetic Association*, 110(5), 692-701.
- 13 Laraia, B., Vinikoor-Imler, L. C., & Siega-Riz, A. M. (2015). Food insecurity during pregnancy leads to stress, disordered eating, and greater postpartum weight among overweight women. *Obesity*, 23(6), 1303-1311.
- 14 Olson, C. M. & Strawderman, M. S. (2008). The relationship between food insecurity and obesity in rural childbearing women. *Journal of Rural Health*, 24(1), 60-66.
- 15 Gundersen, C., Garasky, S., & Lohman, B. J. (2009). Food insecurity is not associated with childhood obesity as assessed using multiple measures of obesity. *Journal of Nutrition*, 139(6), 1173-1178.
- 16 Holben, D. H. & Taylor, C. A. (2015). Food insecurity and its association with central obesity and other markers of metabolic syndrome among persons aged 12 to 18 years in the United States. *Journal of the American Osteopathic Association*, 115(9), 536-543.
- 17 Lohman, B. J., Stewart, S., Gundersen, C., Garasky, S., & Eisenmann, J. C. (2009). Adolescent overweight and obesity: links to food insecurity and individual, maternal, and family stressors. *Journal of Adolescent Health*, 45(3), 230-237.
- 18 Metallinos-Katsaras, E., Must, A., & Gorman, K. (2012). A longitudinal study of food insecurity on obesity in preschool children. *Journal of the Academy of Nutrition and Dietetics*, 112(12), 1949-1958.
- 19 Trapp, C. M., Burke, G., Gorin, A. A., Wiley, J. F., Hernandez, D., Crowell, R. E., Grant, A., Beaulieu, A., & Cloutier, M. M. (2015). The relationship between dietary patterns, body mass index percentile, and household food security in young urban children. *Childhood Obesity*, 11(2), 148-155.
- 20 Beaulac, J., Kristjansson, E., & Cummins, S. (2009). A systematic review of food deserts, 1966-2007. *Preventing Chronic Disease*, 6(3), A105.
- 21 Larson, N. I., Story, M. T., & Nelson, M. C. (2009). Neighborhood environments: disparities in access to healthy foods in the U.S. *American Journal of Preventive Medicine*, 36(1), 74-81.
- 22 Bell, J., Mora, G., Hagan, E., Rubin, V., & Karpyn, A. (2013). *Access to Healthy Food and Why It Matters: A Review of the Research*. Available at: <http://www.policylink.org/find-resources/library/access-to-healthy-food-and-why-it-matters>. Accessed on September 10, 2015.
- 23 Larson, N. I., Story, M. T., & Nelson, M. C. (2009). Neighborhood environments: disparities in access to healthy foods in the U.S. *American Journal of Preventive Medicine*, 36(1), 74-81.
- 24 Bell, J., Mora, G., Hagan, E., Rubin, V., & Karpyn, A. (2013). *Access to Healthy Food and Why It Matters: A Review of the Research*. Available at: <http://www.policylink.org/find-resources/library/access-to-healthy-food-and-why-it-matters>. Accessed on September 10, 2015.
- 25 Ver Ploeg, M., Breneman, V., Farrigan, T., Hamrick, K., Hopkins, D., Kaufman, P., Lin, B. H., Nord, M., Smith, T., Williams, R., Kinnison, K., Olander, C., Singh, A., Uckermanty, E., Krantz-Kent, R., Polen, C., McGowan, H., & Kim, S. (2009). *Access to Affordable and Nutritious Food: Measuring and Understanding Food Deserts and Their Consequences – Report to Congress*. Washington, DC: U.S. Department of Agriculture, Economic Research Service.
- 26 Ver Ploeg, M., Mancino, L., Todd, J. E., Clay, D. M., & Scharadin, B. (2015). *Where Do Americans Usually Shop for Food and How Do They Travel To Get There? Initial Findings from the National Household Food Acquisition and Purchase Survey*. Washington, DC: U.S. Department of Agriculture, Economic Research Service.
- 27 Wiig, K. & Smith, C. (2009). The art of grocery shopping on a food stamp budget: factors influencing the food choices of low-income women as they

Understanding the Connections: Food Insecurity and Obesity

- try to make ends meet. *Public Health Nutrition*, 12(10), 1726-1734.
- 28 Walker, R. E., Block, J., & Kawachi, I. (2012). Do residents of food deserts express different food buying preferences compared to residents of food oases? A mixed-methods analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 9, 41.
- 29 Rose, D., Bodor, J. N., Swalm, C. M., Rice, J. C., Farley, T. A., & Hutchinson, P. L. (2009). *Deserts in New Orleans? Illustrations of Urban Food Access and Implications for Policy*. Prepared for the University of Michigan National Poverty Center/USDA Economic Research Service. Available at: http://www.npc.umich.edu/news/events/food-access/rose_et_al.pdf. Accessed on October 6, 2015.
- 30 Evans, A., Banks, K., Jennings, R., Nehme, E., Nemecek, C., Sharma, S., Hussaini, A., & Yaroch, A. (2015). Increasing access to healthful foods: a qualitative study with residents of low-income communities. *International Journal of Behavioral Nutrition and Physical Activity*, 12 (Supplement 1), S5.
- 31 Aggarwal, A., Monsivais, P., & Drewnowski, A. (2012). Nutrient intakes linked to better health outcomes are associated with higher diet costs in the US. *PLoS ONE*, 7(5), e37533.
- 32 DiSantis, K. I., Grier, S. A., Odoms-Young, A., Baskin, M. L., Carter-Edwards, L., Young, D. R., Lassiter, V., & Kumanyika, S. K. (2013). What “price” means when buying food: insights from a multisite qualitative study with Black Americans. *American Journal of Public Health*, 103(3):516-522.
- 33 Drewnowski, A. (2010). The cost of US foods as related to their nutritive value. *American Journal of Clinical Nutrition*, 92(5), 1181-1188.
- 34 Darmon, N. & Drewnowski, A. (2015). Contribution of food prices and diet cost to socioeconomic disparities in diet quality and health: a systematic review and analysis. *Nutrition Reviews*, 73(10), 643-60.
- 35 Drewnowski, A. (2009). Obesity, diets, and social inequalities. *Nutrition Reviews*, 67(Supplement 1), S36-S39.
- 36 DiSantis, K. I., Grier, S. A., Odoms-Young, A., Baskin, M. L., Carter-Edwards, L., Young, D. R., Lassiter, V., & Kumanyika, S. K. (2013). What “price” means when buying food: insights from a multisite qualitative study with Black Americans. *American Journal of Public Health*, 103(3), 516-522.
- 37 Edin, K., Boyd, M., Mabli, J., Ohls, J., Worthington, J., Green, S., Redel, N., & Sridharan, S. (2013). *SNAP Food Security In-Depth Interview Study*. Alexandria, VA: U.S. Department of Agriculture, Food and Nutrition Service.
- 38 Pérez-Escamilla, R., Obbagy, J. E., Altman, J. M., Essery, E. V., McGrane, M. M., Wong, Y. P., Spahn, J. M., & Williams, C. L. (2012). Dietary energy density and body weight in adults and children: a systematic review. *Journal of the American Dietetic Association*, 112(5), 671-684.
- 39 Kant, A. K. & Graubard, B. I. (2005). Energy density of diets reported by American adults: association with food group intake, nutrient intake, and body weight. *International Journal of Obesity*, 29, 950-956.
- 40 Andreyeva, T., Blumenthal, D. M., Schwartz, M. B., Long, M. W., & Brownell, K. D. (2008). Availability and prices of foods across stores and neighborhoods: the case of New Haven, Connecticut. *Health Affairs*, 27(5), 1381-1388.
- 41 Evans, A., Banks, K., Jennings, R., Nehme, E., Nemecek, C., Sharma, S., Hussaini, A., & Yaroch, A. (2015). Increasing access to healthful foods: a qualitative study with residents of low-income communities. *International Journal of Behavioral Nutrition and Physical Activity*, 12 (Supplement 1), S5.
- 42 Fleischhacker, S. E., Evenson, K. R., Rodriguez, D. A., & Ammerman, A. S. (2011). A systematic review of fast food access studies. *Obesity Reviews*, 12(5), e460-e471.
- 43 Hilmers, A., Hilmers, D. C., & Dave, J. (2012). Neighborhood disparities in access to healthy foods and their effects on environmental justice. *American Journal of Public Health*, 102(9), 1644-1654.
- 44 Kestens, Y. & Daniel, M. (2010). Social inequalities in food exposure around schools in an urban area. *American Journal of Preventive Medicine*, 39(1), 33-40.
- 45 Powell, L. M. & Nguyen, B. T. (2013). Fast-food and full-service restaurant consumption among children and adolescents: effect on energy, beverage, and nutrient intake. *JAMA Pediatrics*, 167(1), 14-20.
- 46 Pereira, M. A., Kartashov, A. I., Ebbeling, C. B., Van Horn, L., Slattery, M. L., Jacobs, D. R., Jr., & Ludwig, D. S. (2005). Fast-food habits, weight gain, and insulin resistance (the CARDIA study): 15-year prospective analysis. *Lancet*, 365(9453), 36-42.
- 47 Larson, N., Neumark-Sztainer, D., Laska, M. N., & Story, M. (2011). Young adults and eating away from home: associations with dietary intake patterns and weight status differ by choice of restaurant. *Journal of the American Dietetic Association*, 111(11), 1696-1703.
- 48 Bruening, M., MacLehose, R., Loth, K., Story, M., & Neumark-Sztainer, D. (2012). Feeding a family in a recession: food insecurity among Minnesota parents. *American Journal of Public Health*, 102(3), 520-526.
- 49 Dammann, K. & Smith, C. (2010). Food-related attitudes and behaviors at home, school, and restaurants: perspectives from racially diverse, urban, low-income 9- to 13-year-old children in Minnesota. *Journal of Nutrition Education and Behavior*, 42(6), 389-397.
- 50 Olson, C. M., Bove, C. F., & Miller, E. O. (2007). Growing up poor: long-term implications for eating patterns and body weight. *Appetite*, 49(1), 198-207.
- 51 Bove, C. F. & Olson, C. M. (2006). Obesity in low-income rural women: qualitative insights about physical activity and eating patterns. *Women and Health*, 44(1), 57-78.
- 52 Laraia, B., Vinikoor-Imler, L. C., & Siega-Riz, A. M. (2015). Food insecurity during pregnancy leads to stress, disordered eating, and greater postpartum weight among overweight women. *Obesity*, 23(6), 1303-1311.
- 53 Finney Rutten, L. J., Yaroch, A. L., Colón-Ramos, U., Johnson-Askew, W., & Story, M. (2010). Poverty, food insecurity, and obesity: a conceptual framework for research, practice, and policy. *Journal of Hunger and Environmental Nutrition*, 5(4), 403-415.
- 54 Drewnowski, A. (2009). Obesity, diets, and social inequalities. *Nutrition Reviews*, 67(Supplement 1), S36-S39.
- 55 Hilmers, A., Hilmers, D. C., & Dave, J. (2012). Neighborhood disparities in access to healthy foods and their effects on environmental justice. *American Journal of Public Health*, 102(9), 1644-1654.
- 56 Edin, K., Boyd, M., Mabli, J., Ohls, J., Worthington, J., Greene, S., Redel, N., & Sridharan, S. (2013). *SNAP Food Security In-Depth Interview Study*. Alexandria, VA: U.S. Department of Agriculture, Food and Nutrition Service, Office of Research and Analysis.
- 57 Dammann, K. W. & Smith, C. (2009). Factors affecting low-income women’s food choices and the perceived impact of dietary intake and socioeconomic status on their health and weight. *Journal of Nutrition Education and Behavior*, 41(4), 242-253.
- 58 Dev, D. A., McBride, B. A., Fiese, B. H., Jones, B. L., & Cho, H. (2013). Risk factors for overweight/obesity in preschool children: an ecological approach. *Childhood Obesity*, 9(5), 399-408.
- 59 Janjua, N. Z., Mahmood, B., Islam, M. A., & Goldenberg, R. L. (2012). Maternal and early childhood risk factors for overweight and obesity among low-income predominantly black children at age five years: a prospective cohort study. *Journal of Obesity*, 457173.
- 60 Metallinos-Katsaras, E., Must, A., & Gorman, K. (2012). A longitudinal study of food insecurity on obesity in preschool children. *Journal of the Academy of Nutrition and Dietetics*, 112(12), 1949-1958.
- 61 Laraia, B., Vinikoor-Imler, L. C., & Siega-Riz, A. M. (2015). Food insecurity during pregnancy leads to stress, disordered eating, and greater

- postpartum weight among overweight women. *Obesity*, 23(6), 1303-1311.
- 62 Leung, C. W., Epel, E. S., Willett, W. C., Rimm, E. B., & Laraia, B. A. (2015). Household food insecurity is positively associated with depression among low-income Supplemental Nutrition Assistance Program participants and income-eligible nonparticipants. *Journal of Nutrition*, 145(3), 622-627.
- 63 Liu, Y., Njai, R. S., Greenlund, K. J., Chapman, D. P., & Croft, J. B. (2014). Relationships between housing and food insecurity, frequent mental distress, and insufficient sleep among adults in 12 US states, 2009. *Preventing Chronic Disease*, 11, 130334.
- 64 McLaughlin, K. A., Green, J. G., Alegria, M., Jane Costello, E., Gruber, M. J., Sampson, N. A., & Kessler, R. C. (2012). Food insecurity and mental disorders in a national sample of U.S. adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(12), 1293-1303.
- 65 Block, J. P., He, Y., Zaslavsky, A. M., Ding, L., & Ayanian, J. Z. (2009). Psychosocial stress and change in weight among U.S. adults. *American Journal of Epidemiology*, 170(2), 181-192.
- 66 Gundersen, C., Mahatmya, D., Garasky, S., & Lohman, B. (2011). Linking psychosocial stressors and childhood obesity. *Obesity Reviews*, 12(5), e54-e63.
- 67 Lohman, B. J., Stewart, S., Gundersen, C., Garasky, S., & Eisenmann, J. C. (2009). Adolescent overweight and obesity: links to food insecurity and individual, maternal, and family stressors. *Journal of Adolescent Health*, 45(3), 230-237.
- 68 Moore, C. J. & Cunningham, S. A. (2012). Social position, psychological stress, and obesity: a systematic review. *Journal of the Academy of Nutrition and Dietetics*, 112(4), 518-526.
- 69 Luppino, F. S., de Wit, L. M., Bouvy, P. F., Stijnen, T., Cuijpers, P., Penninx, B. W., & Zitman, F. G. (2010). Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies. *Archives of General Psychiatry*, 67(3), 220-229.
- 70 Tate, E. B., Wood, W., Liao, Y., & Dunton, G. F. (2015). Do stressed mothers have heavier children? A meta-analysis on the relationship between maternal stress and child body mass index. *Obesity Reviews*, 16(5), 351-361.
- 71 Gross, R. S., Velazco, N. K., Briggs, R. D., & Racine, A. D. (2013). Maternal depressive symptoms and child obesity in low-income urban families. *Academic Pediatrics*, 13(4), 356-363.
- 72 Lohman, B. J., Stewart, S., Gundersen, C., Garasky, S., & Eisenmann, J. C. (2009). Adolescent overweight and obesity: links to food insecurity and individual, maternal, and family stressors. *Journal of Adolescent Health*, 45(3), 230-237.
- 73 Adam, T. C. & Epel, E. S. (2007). Stress, eating and the reward system. *Physiology and Behavior*, 91(4), 449-458.
- 74 Torres, S. J. & Nowson, C. A. (2007). Relationship between stress, eating behavior, and obesity. *Nutrition*, 23(11-12), 887-894.
- 75 Tomiyama, A. J., Dallman, M. F., & Epel, E. S. (2011). Comfort food is comforting to those most stressed: evidence of the chronic stress response network in high stress women. *Psychoneuroendocrinology*, 36(10), 1513-1519.
- 76 Stults-Kolehmainen, M. A. & Sinha, R. (2014). The effects of stress on physical activity and exercise. *Sports Medicine*, 44(1), 81-121.
- 77 Gross, R. S., Velazco, N. K., Briggs, R. D., & Racine, A. D. (2013). Maternal depressive symptoms and child obesity in low-income urban families. *Academic Pediatrics*, 13(4), 356-363.
- 78 Goulding, A. N., Rosenblum, K. L., Miller, A. L., Peterson, K. E., Chen, Y. P., Kaciroti, N., & Lumeng, J. C. (2014). Associations between maternal depressive symptoms and child feeding practices in a cross-sectional study of low-income mothers and their young children. *International Journal of Behavioral Nutrition and Physical Activity*, 11, 75.
- 79 Gross, R. S., Mendelsohn, A. L., Fierman, A. H., Racine, A. D., & Messito, M. J. (2012). Food insecurity and obesogenic maternal infant feeding styles and practices in low-income families. *Pediatrics*, 130(2), 254-261.
- 80 Bronte-Tinkew, J., Zaslow, M., Capps, R., Horowitz, A., & McNamara, M. (2007). Food insecurity works through depression, parenting, and infant feeding to influence overweight and health in toddlers. *Journal of Nutrition*, 137(9), 2160-2165.
- 81 Mowen, A. J. (2010). *Parks, Playgrounds, and Active Living*. San Diego, CA: Active Living Research, San Diego State University.
- 82 Gordon-Larsen, P., Nelson, M. C., Page, P., & Popkin, B. M. (2006). Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics*, 117(2), 417-424.
- 83 Sallis, J. F. & Glanz, K. (2009). Physical activity and food environments: solutions to the obesity epidemic. *Milbank Quarterly*, 87(1), 123-154.
- 84 Singh, G. K., Siahpush, M., & Kogan, M. D. (2010). Neighborhood socioeconomic conditions, built environments, and childhood obesity. *Health Affairs*, 29(3), 503-512.
- 85 To, Q. G., Frongillo, E. A., Gallegos, D., & Moore, J. B. (2014). Household food insecurity is associated with less physical activity among children and adults in the U.S. population. *Journal of Nutrition*, 144, 1797-1802.
- 86 Fram, M. S., Ritchie, L. D., Rosen, N., & Frongillo, E. A. (2015). Child experience of food insecurity is associated with child diet and physical activity. *Journal of Nutrition*, 145(3), 499-504.
- 87 Centers for Disease Control and Prevention. (2014). *Facts about Physical Activity*. Available at: <http://www.cdc.gov/physicalactivity/data/facts.htm>. Accessed on August 27, 2015.
- 88 Jin, Y. & Jones-Smith, J. C. (2015). Associations between family income and children's physical fitness and obesity in California, 2010-2012. *Preventing Chronic Disease*, 12, e17.
- 89 Neckerman, K. M., Lovasi, G. S., Davies, S., Purciel, M., Quinn, J., Feder, E., Raghunath, N., Wasserman, B., & Rundle, A. (2009). Disparities in urban neighborhood conditions: evidence from GIS measures and field observation in New York City. *Journal of Public Health Policy*, 30(Supplement 1), S264-S285.
- 90 Bruton, C. M. & Floyd, M. F. (2014). Disparities in built and natural features of urban parks: comparisons by neighborhood level race/ethnicity and income. *Journal of Urban Health*, 91(5), 894-907.
- 91 Neckerman, K. M., Lovasi, G. S., Davies, S., Purciel, M., Quinn, J., Feder, E., Raghunath, N., Wasserman, B., & Rundle, A. (2009). Disparities in urban neighborhood conditions: evidence from GIS measures and field observation in New York City. *Journal of Public Health Policy*, 30(Supplement 1), S264-S285.
- 92 Taylor, W. C. & Lou, D. (2011). *Do All Children Have Places to Be Active? Disparities in Access to Physical Activity Environments in Racial and Ethnic Minority and Lower-Income Communities*. San Diego, CA: Active Living Research, San Diego State University.
- 93 Duncan, D. T., Johnson, R. M., Molnar, B. E., & Azrael, D. (2009). Association between neighborhood safety and overweight status among urban adolescents. *BioMed Central Public Health*, 9, 289.
- 94 Lumeng, J. C., Appugliese, D., Cabral, H. J., Bradley, R. H., & Zuckerman, B. (2006). Neighborhood safety and overweight status in children. *Archives of Pediatrics and Adolescent Medicine*, 160(1), 25-31.
- 95 Singh, G. K., Siahpush, M., & Kogan, M. D. (2010). Neighborhood socioeconomic conditions, built environments, and childhood obesity. *Health Affairs*, 29(3), 503-512.

Understanding the Connections: Food Insecurity and Obesity

- 96 Duke, J., Huhman, M., & Heitzler, C. (2003). Physical activity levels among children aged 9-13 years – United States, 2002. *Morbidity and Mortality Weekly Report*, 52(33), 785-788.
- 97 C.S. Mott Children's Hospital. (2012). *Pay-to-Play Sports Keeping Lower-Income Kids Out of the Game*. Available at: <http://www.mottnpch.org/sites/default/files/documents/051412paytoplayreport.pdf>. Accessed on August 27, 2015.
- 98 Duke, J., Huhman, M., & Heitzler, C. (2003). Physical activity levels among children aged 9-13 years – United States, 2002. *Morbidity and Mortality Weekly Report*, 52(33), 785-788.
- 99 C.S. Mott Children's Hospital. (2012). *Pay-to-Play Sports Keeping Lower-Income Kids Out of the Game*. Available at: <http://www.mottnpch.org/sites/default/files/documents/051412paytoplayreport.pdf>. Accessed on August 27, 2015.
- 100 Barros, R. M., Silver, E. J., & Stein, R. E. (2009). School recess and group classroom behavior. *Pediatrics*, 123(2), 431-436.
- 101 UCLA Center to Eliminate Health Disparities & Samuels and Associates. (2007). *Failing Fitness: Physical Activity and Physical Education in Schools*. Available at: http://sallis.ucsd.edu/Documents/Measures_documents/ASAP_Failing%20Fitness%20w-refs%200207.pdf. Accessed on October 6, 2015.
- 102 Milteer, R. M., Ginsburg, K. R.; Council on Communications and Media; Committee on Psychosocial Aspects of Child and Family Health. (2007). The importance of play in promoting healthy child development and maintaining strong parent-child bond: focus on children in poverty. *Pediatrics*, 129(1), e204-e213.
- 103 Yancey, A. K., Cole, B. L., Brown, R., Williams, J. D., Hillier, A., Kline, R. S., Ashe, M., Grier, S. A., Backman, D., & McCarthy, W. J. (2009). A cross-sectional prevalence study of ethnically targeted and general audience outdoor obesity-related advertising. *Milbank Quarterly*, 87(1), 155-184.
- 104 Powell, L. M., Wada, R., & Kumanyika, S. K. (2014). Racial/ethnic and income disparities in child and adolescent exposure to food and beverage television ads across the U.S. media markets. *Health Place*, 29, 124-131.
- 105 Institute of Medicine. (2006). *Food Marketing to Children and Youth: Threat or Opportunity?* Washington, DC: The National Academies Press.
- 106 Institute of Medicine. (2013). *Challenges and Opportunities for Change in Food Marketing to Children and Youth: Workshop Summary*. Washington, DC: The National Academies Press.
- 107 Smith, J. C. & Medalia, C. (2015). *Health Insurance Coverage in the United States: 2014*. U.S. Census Bureau, Current Population Reports, P60-253. Washington, DC: U.S. Government Printing Office.



1200 18th Street NW, Suite 400, Washington, DC 20036

202.986.2200 | www.frac.org

(C) 2015 Food Research & Action Center